


Data Transformation with data.table :: CHEAT SHEET



Basics

data.table is an extremely fast and memory efficient package for transforming data in R. It works by converting R's native data frame objects into data.tables with new and enhanced functionality. The basics of working with data.tables are:

dt[i, j, by]

Take data.table **dt**,
subset rows using **i**
and manipulate columns with **j**,
grouped according to **by**.

data.tables are also data frames – functions that work with data frames therefore also work with data.tables.


Create a data.table

data.table(a = c(1, 2), b = c("a", "b")) – create a data.table from scratch. Analogous to `data.frame()`.

setDT(df)* or as.data.table(df) – convert a data frame or a list to a data.table.

Subset rows using **i**

 **dt[1:2,]** – subset rows based on row numbers.

 **dt[a > 5,]** – subset rows based on values in one or more columns.


LOGICAL OPERATORS TO USE IN **i**

<	<=	is.na()	%in%		%like%
>	>=	!is.na()	!	&	%between%

Manipulate columns with **j**

EXTRACT

 **dt[, c(2)]** – extract columns by number. Prefix column numbers with “-” to drop.

 **dt[, .(b, c)]** – extract columns by name.


SUMMARIZE

 **dt[, .(x = sum(a))]** – create a data.table with new columns based on the summarized values of rows.

Summary functions like `mean()`, `median()`, `min()`, `max()`, etc. can be used to summarize rows.


COMPUTE COLUMNS*

 **dt[, c := 1 + 2]** – compute a column based on an expression.


 **dt[a == 1, c := 1 + 2]** – compute a column based on an expression but only for a subset of rows.

 **dt[, `:=` (c = 1, d = 2)]** – compute multiple columns based on separate expressions.


DELETE COLUMN

 **dt[, c := NULL]** – delete a column.

CONVERT COLUMN TYPE

 **dt[, b := as.integer(b)]** – convert the type of a column using `as.integer()`, `as.numeric()`, `as.character()`, `as.Date()`, etc..

Group according to **by**



dt[, j, by = .(a)] – group rows by values in specified columns.

dt[, j, keyby = .(a)] – group and simultaneously sort rows by values in specified columns.

COMMON GROUPED OPERATIONS

dt[, .(c = sum(b)), by = a] – summarize rows within groups.

dt[, c := sum(b), by = a] – create a new column and compute rows within groups.

dt[, .SD[1], by = a] – extract first row of groups.


dt[, .SD[N], by = a] – extract last row of groups.

Chaining

dt[...][...] – perform a sequence of data.table operations by chaining multiple “[]”.

Functions for data.tables

REORDER



setorder(dt, a, -b) – reorder a data.table according to specified columns. Prefix column names with “-” for descending order.

* SET FUNCTIONS AND :=

data.table's functions prefixed with “set” and the operator “:=” work without “<-” to alter data without making copies in memory. E.g., the more efficient “`setDT(df)`” is analogous to “`df <- as.data.table(df)`”.



UNIQUE ROWS

a	b
1	2
2	2
1	2

`unique(dt, by = c("a", "b"))` – extract unique rows based on columns specified in “by”. Leave out “by” to use all columns.

`uniqueN(dt, by = c("a", "b"))` – count the number of unique rows based on columns specified in “by”.

RENAME COLUMNS

a	b
x	y

`setnames(dt, c("a", "b"), c("x", "y"))` – rename columns.

SET KEYS

`setkey(dt, a, b)` – set keys to enable fast repeated lookup in specified columns using “`dt[.(value),]`” or for merging without specifying merging columns using “`dt_a[dt_b]`”.

Combine data.tables

JOIN

a	b
1	c
2	a
3	b

x	y
3	b
2	c
1	a

a	b	x
3	b	3
2	c	2
1	a	1

`dt_a[dt_b, on = .(b = y)]` – join data.tables on rows with equal values.

a	b	c
1	c	7
2	a	5
3	b	6

x	y	z
3	b	4
2	c	5
1	a	8

a	b	c	x
3	b	4	3
1	c	5	2
2	a	8	NA

`dt_a[dt_b, on = .(b = y, c > z)]` – join data.tables on rows with equal and unequal values.

ROLLING JOIN

a	id	date
1	A	01-01-2010
2	A	01-01-2012
3	A	01-01-2014
1	B	01-01-2010
2	B	01-01-2012

b	id	date
1	A	01-01-2013
1	B	01-01-2013

a	id	date	b
2	A	01-01-2013	1
1	B	01-01-2013	1

`dt_a[dt_b, on = .(id = id, date = date), roll = TRUE]` – join data.tables on matching rows in id columns but only keep the most recent preceding match with the left data.table according to date columns. “`roll = -Inf`” reverses direction.

BIND

a	b

a	b

a	b

`rbind(dt_a, dt_b)` – combine rows of two data.tables.

a	b

x	y

a	b	x	y

`cbind(dt_a, dt_b)` – combine columns of two data.tables.

Apply function to cols.

APPLY A FUNCTION TO MULTIPLE COLUMNS

a	b
1	4
2	5
3	6

`dt[, lapply(.SD, mean), .SDcols = c("a", "b")]` – apply a function – e.g. `mean()`, `as.character()`, `which.max()` – to columns specified in `.SDcols` with `lapply()` and the `.SD` symbol. Also works with groups.

a	b
1	1
2	2
3	2

`cols <- c("a")`
`dt[, paste0(cols, "_m") := lapply(.SD, mean), .SDcols = cols]` – apply a function to specified columns and assign the result with suffixed variable names to the original data.

RESHAPE TO WIDE FORMAT

id	y	a	b
A	x	1	3
A	z	2	4
B	x	1	3
B	z	2	4

`dcast(dt,`
`id ~ y,`
`value.var = c("a", "b"))`

Reshape a data.table from long to wide format.

`dt`
`id ~ y`
`value.var`
A data.table.
Formula with a LHS: ID columns containing IDs for multiple entries. And a RHS: columns with values to spread in column headers.
Columns containing values to fill into cells.

id	a	x	a	z	b	x	b	z
A	1	2	3	4				
B	1	2	3	4				

`melt(dt,`
`id.vars = c("id"),`
`measure.vars = patterns("^a", "^b"),`
`variable.name = "y",`
`value.name = c("a", "b"))`

Reshape a data.table from wide to long format.

`dt`
`id.vars`
`measure.vars`
`variable.name,`
`value.name`
A data.table.
ID columns with IDs for multiple entries.
Columns containing values to fill into cells (often in pattern form).
Names of new columns for variables and values derived from old headers.

Sequential rows

ROW IDS

a	b
1	a
2	a
3	b

`dt[, c := 1:N, by = b]` – within groups, compute a column with sequential row IDs.

a	b
---	---